

KEYWORDS INDEX

admittance plot: 401, 403, 404, 405, 407
adsorption: 30, 43, 46, 50, 79, 147, 148, 149, 205, 209, 210, 211, 212, 213, 214, 216,
218, 221, 222, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 249, 255,
256, 257, 258, 259, 260, 261, 263, 264, 265, 268, 269, 270, 271, 298, 323,
363, 365, 366, 367, 368, 369, 371, 372, 373, 398, 419, 420, 425, 426, 427,
428, 429, 432, 433, 434, 443, 447, 449, 453, 467, 468, 469, 471, 487
adsorption process: 46, 205, 214, 221, 230, 234, 249, 258, 261, 264, 363, 366, 368, 372,
447
alkoxybenzenes: 285, 287
aluminium: 153, 363, 364, 365, 366, 367, 368, 369, 370, 371, 466, 469
aluminium oxide: 153, 466
amorphous metallic alloy: 131
amperometric detection: 383, 388
anodic oxidation: 1, 2, 3, 4, 7, 8, 9, 10, 19, 21, 22, 23, 28, 29, 30, 31, 32, 33, 38, 55, 58,
153, 215, 231, 259, 285
anodization: 153
AOPs: 1, 2, 3, 19, 20, 23, 25, 39
ascorbic acid: 67, 121, 127
atomistic model: 273, 275, 276, 277, 278, 279, 280, 281
biodegradation: 319, 321, 323, 333
biosensors: 131, 132, 136, 137, 174, 350
biosorption: 43, 44, 46, 47, 48, 50, 53
boron-doped diamond electrode: 1, 19
brass: 471, 472, 474, 475, 476, 478
brij-30: 205, 206, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 249
capacitance dispersion: 263, 264, 265, 266, 268, 269, 270, 271
carbon felt cathode: 1
catalysis: 19, 175, 263, 335, 336, 337, 340, 344, 345, 346, 347, 405, 419, 481
cetyl pyridinium bromide (CPB): 249, 250, 253, 261
classical model: 273, 274, 277, 281
cobalt nitroprusside: 383
composite electrode: 67
conducting materials: 285, 286
conducting polymer: 55, 56, 349, 350, 352, 353, 354, 360
contaminants' treatment in organic solvents: 185
coordination compounds: 435
copper alloys: 453, 454

corrosion: 64, 131, 195, 196, 197, 198, 199, 200, 202, 203, 204, 205, 207, 208, 209, 210, 211, 212, 213, 215, 216, 218, 221, 222, 224, 225, 226, 227, 228, 229, 231, 232, 234, 237, 238, 239, 242, 244, 245, 247, 248, 249, 250, 251, 252, 253, 254, 255, 257, 258, 261, 262, 319, 320, 321, 322, 323, 324, 325, 326, 328, 329, 330, 331, 332, 333, 334, 363, 365, 367, 368, 369, 370, 371, 372, 373, 391, 409, 410, 411, 412, 413, 414, 415, 416, 417, 419, 420, 421, 423, 425, 426, 427, 428, 429, 430, 431, 432, 433, 439, 443, 444, 445, 446, 448, 450, 452, 453, 454, 455, 456, 457, 458, 462, 463, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480

corrosion inhibitor: 205, 218, 221, 222, 234, 249, 250, 261, 319, 320, 321, 323, 324, 325, 326, 328, 330, 331, 332, 333, 334, 363, 425, 432, 434, 439, 443, 452, 454, 458, 469, 470, 472

critical nucleus size: 273, 274, 275, 277, 278, 279, 280, 281

current efficiencies: 435

cyclic voltammetry: 57, 89, 91, 92, 93, 94, 97, 98, 99, 104, 119, 121, 122, 139, 173, 178, 179, 263, 266, 267, 287, 335, 337, 349, 350, 384, 391, 392, 403

cysteine: 119

degradation: 1, 2, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 21, 24, 25, 26, 27, 28, 32, 33, 34, 35, 36, 37, 38, 40, 56, 91, 319, 320, 321, 323, 326, 331, 332, 333, 334, 358

diesel pipeline: 319

diethienylethylenes: 89

Differential Staircase Voltammetry: 103, 104, 116

disorder: 119, 263, 264, 265, 369, 427

drugs: 19, 20, 23, 25, 32, 33, 38, 176, 419

DSCV: 103, 104, 105, 106, 109, 110, 112, 114, 116, 117

EAOPs: 1, 3, 19, 21, 22, 23, 28, 33, 38, 39

edge plane pyrolytic graph (EPPG) electrode: 401, 402, 403, 405, 406, 407

electrical conductivity: 55, 62, 63, 163, 164, 165, 166, 167, 168, 169, 171, 172, 350, 360

electrocatalysis: 335, 344, 346, 347, 481, 485

electrochemical noise: 195, 197, 409, 410, 417

electrochemical oxidation mechanism: 89, 90, 92, 94, 97

electrochemical oxygen reduction reaction (ORR): 335, 336, 347

electrochemical synthesis: 435

electrochemistry: 2, 43, 44, 46, 53, 100, 104, 172, 185, 266, 293, 294, 296, 297, 315, 317, 351, 361, 401, 402, 403, 435, 480

electrocrystallization: 273, 276, 277, 278, 279, 281, 282

electrodeposition: 55, 56, 57, 63, 144, 146, 148, 171, 277, 336, 338, 339, 343, 346, 350, 391, 392, 393, 399, 481, 482, 483, 487

electro-Fenton: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 23, 32, 33, 38, 39

electrostatic effects: 43, 47, 51

electrosynthesis: 285

flavour enhancer: 173, 174

flow injection: 67

flow loop method: 319, 328, 332

food: 80, 120, 173, 174, 175, 176, 181, 182, 183

FT-IR spectroscopy: 208, 225, 252, 285, 286, 287, 288, 289, 319, 321, 323, 332, 350, 351, 359, 419, 420, 443, 444, 449

galvanic current: 197, 237, 239, 242, 243, 244, 245, 453, 455, 462, 463, 464, 465, 469
geothermal brine: 409, 412, 417
giant magnetoimpedance (GMI): 131
glass carbon (GC) electrode: 335, 338, 339, 343, 401
glutamate: 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183
gold electrode: 173, 174, 178, 179, 266, 267, 269, 311, 336
H₂SO₄: 6, 12, 13, 16, 25, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 221, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 268, 279, 338, 392, 443, 444, 445, 446, 447, 450, 451, 482
heterogeneous charge transfer: 293, 312
hydrochloric acid: 195, 197, 200, 436
hydrogen evolution reaction: 211, 227, 256, 295, 296, 396, 397, 481, 482, 483, 485, 486, 487
hysteresis: 163, 168, 169, 267
impedance spectroscopy: 79, 80, 81, 83, 84, 87, 88, 263, 264, 265, 266, 268, 271, 401, 407
infra-red spectroscopy: 205, 208, 216, 221, 225, 233, 249, 252, 261
inhibition: 205, 208, 209, 210, 211, 213, 214, 216, 218, 221, 222, 224, 225, 226, 227, 229, 230, 231, 234, 249, 252, 253, 254, 255, 256, 257, 258, 260, 261, 319, 320, 321, 322, 328, 329, 333, 334, 363, 364, 365, 366, 367, 370, 371, 372, 419, 420, 421, 423, 424, 425, 427, 428, 429, 432, 443, 444, 445, 446, 449, 453, 454, 465, 466, 467, 468, 469, 471, 472, 474, 477, 479
inhibitors: 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 218, 221, 222, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 363, 364, 365, 366, 368, 369, 370, 371, 372, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 439, 443, 444, 445, 446, 447, 448, 449, 450, 452, 453, 454, 458, 467, 468, 469, 470, 471, 472, 473, 474
interacting and noninteracting redox centers: 103
ionic liquids: 163, 164, 171, 172, 335, 336, 338, 401, 402
iron tetrakis(p-sulphonatophenyl) porphyrin: 185
IR spectra: 205, 221
isomerization kinetics: 89
Langmuir adsorption isotherm: 419
Langmuir-Schaefer films: 139, 140
layer-by-layer electrodeposition: 55, 56, 57, 63
linear polarization: 409, 410, 412
manganese oxide (MnO_x): 335
master curve: 43, 49, 51, 52
membrane potential: 79, 80, 81, 82, 83, 86, 87
metal/solution interface: 263, 319
microbiologically influenced corrosion: 319, 333
microelectrodes: 103, 104, 105, 109, 112, 116
mild steel: 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 234, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 333, 391, 392, 399, 419, 420, 421, 422, 423, 426, 427, 428, 429, 430, 431, 432, 443, 444, 445, 446, 447, 448, 450, 451, 467, 482, 483

mineralization: 1, 2, 3, 4, 7, 8, 10, 11, 12, 14, 16, 17, 19, 20, 22, 23, 25, 26, 27, 28, 29, 30, 32, 33, 34, 38
modified electrodes: 139, 140, 146, 147, 149, 338, 339, 383, 384, 386, 389
modified glassy carbon electrode: 383
modulated complexation by electrochemistry: 185
molecular switches: 89, 90, 98
molten alkali carbonates: 237, 238, 241, 242, 245, 248
molten alkali nitrates: 237, 238, 241, 242, 244, 245, 248
molybdenum: 195, 196, 203
molybdophosphoric acid: 375, 376
mono azo dyes: 363, 364, 365, 366, 367, 368, 369, 370, 371, 372
monocarboxylates: 453, 454, 467, 468, 469
multicenter molecules: 103, 104, 109
multi-layered film: 55, 56, 57, 58, 61, 63
multipotential techniques: 103
multi-walled carbon nanotubes (MWCNTs): 335, 336
nano-porous: 153
NaOH: 24, 28, 155, 363, 365, 366, 367, 368, 369, 370, 371, 372, 392, 481, 482, 483, 485, 486
Ni-Ce alloy: 481, 482, 483, 485, 487
nimesulide: 375, 376
niobium: 195, 196, 198, 199, 200, 201, 202, 203, 204
nitrite oxidation: 383, 386, 388
nucleation: 144, 148, 149, 164, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 351, 352
organic salts: 285
oxygen-diffusion cathode: 1
ozonation: 19, 23, 24, 25, 27, 28, 38
PEGME: 221, 222, 223, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234
peroxi-coagulation: 1, 3, 5, 10, 11, 17
PET-membrane: 79
pharmaceutical analysis: 375
pharmaceuticals: 1, 2, 20, 39, 80, 119, 127, 128, 375, 376, 377, 380, 381, 419
phase transition: 163, 168, 171, 265
phenoxides: 435, 436, 439, 441
photoelectro-Fenton: 3, 5, 7, 8, 9, 16, 17, 19, 23, 32, 33, 36, 38
pitting corrosion: 131, 202, 237, 238, 239, 242, 244, 247, 248, 453, 454, 455, 456, 457, 458, 462, 463, 465, 466, 467, 468, 469
platinum electrode: 91, 119, 120, 121, 122, 123, 125, 126, 128, 207, 224, 239, 252, 285, 409, 455, 473
PMT: 471, 472, 473, 474, 475, 476, 477, 478
polarization: 195, 197, 198, 199, 200, 205, 206, 207, 208, 209, 211, 214, 215, 216, 221, 222, 223, 224, 225, 227, 230, 231, 232, 237, 239, 240, 241, 249, 250, 252, 253, 255, 258, 259, 260, 265, 300, 322, 323, 330, 331, 332, 363, 364, 369, 370, 371, 398, 409, 410, 411, 412, 414, 415, 419, 421, 429, 430, 443, 444, 445, 446, 447, 455, 456, 457, 458, 463, 466, 469, 472, 474, 482, 485, 486
polarization curves: 195, 197, 198, 199, 200, 209, 215, 223, 225, 231, 239, 240, 241, 253, 259, 323, 330, 331, 369, 370, 409, 411, 414, 429, 430, 445, 446, 447, 455, 456, 457, 458, 472, 485
poly(3,4-ethylenedioxythiophene): 55

poly(N-methylpyrrole): 55, 56, 349, 350
potential dependent frequency factor: 293
potentiodynamic polarization: 198, 199, 419, 421, 430, 485
potentiometric determination: 375
PVC: 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 322, 375, 376, 377, 378, 379, 380
reduction: 3, 4, 14, 19, 21, 23, 24, 56, 58, 60, 61, 63, 64, 86, 87, 92, 94, 103, 119, 120,
122, 123, 124, 143, 144, 145, 146, 147, 148, 149, 150, 166, 173, 179, 181,
183, 198, 203, 209, 210, 225, 226, 267, 295, 300, 303, 308, 330, 331, 332,
335, 336, 337, 339, 340, 341, 344, 345, 346, 347, 354, 355, 356, 357, 358,
383, 435
PVC membrane sensor: 375, 380
room temperature ionic liquids (RTILs): 335, 336, 401, 402
rotating cage method: 319, 332
roughness: 263, 264, 265, 268
sacrificial zinc anode: 435, 438
scanning electron microscopy: 80, 205, 208, 216, 221, 225, 232, 249, 252, 260, 268,
351, 352, 419, 422, 431, 433, 444
SEM: 80, 205, 206, 208, 216, 221, 222, 225, 232, 237, 249, 250, 252, 260, 268, 287,
288, 323, 329, 338, 339, 340, 352, 394, 395, 419, 422, 431, 443, 444, 450
silica: 195, 208, 216, 217, 225, 233, 252, 261, 262, 444, 449
sonoelectro-Fenton: 1, 3, 15, 16, 17
specific anion adsorption: 263, 268
spherical electrodes: 103, 104, 105, 109, 110, 112, 116
stainless steel alloy: 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247
standard rate constant: 293, 296, 310, 315, 335, 337, 341
steel carbon: 409
surface-complexation reaction: 139, 149, 151
temperature: 3, 21, 24, 26, 27, 28, 46, 80, 82, 86, 99, 105, 141, 153, 163, 164, 165, 166,
167, 168, 169, 171, 172, 178, 195, 196, 197, 204, 205, 206, 207, 208, 209,
210, 211, 212, 213, 214, 218, 221, 222, 224, 225, 226, 227, 228, 229, 230,
234, 237, 238, 243, 244, 245, 246, 247, 249, 250, 251, 252, 253, 254, 255,
256, 257, 259, 261, 266, 295, 299, 301, 311, 313, 321, 335, 336, 338, 349,
350, 351, 363, 367, 368, 369, 372, 376, 384, 401, 402, 409, 411, 414, 415,
416, 419, 420, 421, 424, 425, 427, 436, 437, 441, 444, 445, 446, 448, 449,
450, 473, 484, 485
temperature influence: 153
tetra-N-butylammonium iodide (TBAI): 443, 445, 448, 450
thiadiazoles: 419, 420, 423, 427, 429, 430, 432, 433
tosylate anion: 349, 350, 355, 356
triethanolamine: 391, 392, 393, 398, 399
TTF-TCNQ: 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77
voltammetry: 57, 89, 91, 92, 93, 94, 97, 98, 99, 103, 104, 116, 119, 121, 122, 124, 125,
139, 173, 178, 179, 263, 266, 267, 287, 335, 337, 349, 350, 384, 391, 392,
403
XPS: 79, 80, 81, 86, 87
XRD: 132, 391, 394, 395, 396
Zn-Ni: 391, 392, 394, 395, 396